ELBE Pools 2024

REINFORCED

SWIMMING POOL MEMBRANES

AND NATURAL POOL & SWIMMING POND MEMBRANES

ACCESSORIES FOR PROFESSIONNAL INSTALLATION

Made in Germany

www.elbtal-plastics.de | www.ELBEpools.com

ELBE®

POOL SURFACE | MADE IN GERMANY

Index

Reinforced swimming pool membranes

pure 6
ISLAND DREAMS 8
elite® smooth 10
elite® motion 12
PEARL 14
SUPRA PRINT 16
SUPRA 18
CLASSIC 20
NON-SLIP 22

Natural pool and swimming pond membranes

General information about maintenance and care 24
NATURAL PEARL 26
NATURAL SUPRA 28
NATURAL CLASSIC 30

Product characteristics

ELBE Pool Surface® 32
ELBE Natural Surface® 33

Accessories

Liquid PVC 34
Bottle for liquid PVC 35
Coated metal sheets and profiles 35
Protective fleece 35
Mounting and fixing parts 36

Information

Training center 37
Marketing-communication support & samples 38

ELBE POOL SURFACE®
SWIMMING POOL MEMBRANES

Beauty, that never fades

ELBE®

POOL SURFACE | MADE IN GERMANY

pure
Pool Passion

High-quality, reinforced swimming pool membranes with printed, embossed and refined 3D surface

Colors, shapes and textures of natural stones and vibrant exposed concrete structures harmonize perfectly with a natural environment and provide the purest swimming experience. The calm and softly textured colors create the magic of either a turquoise lagoon, an urban oasis, or a dark blue mountain lake in untouched nature.

Easy installation with the head-to-head welding technique as well as lowest fume emission during installation, round off the features of pure.

Thickness	1.8 mm
Width	1.65 m
Roll length	21 m
Package	6 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

NON-SLIP PROTECTION

NATURAL DESIGNS

3D SURFACE

UV RESISTANT

CHLORINE RESISTANT

STAIN RESISTANT

IDEAL FOR HEAD-TO-HEAD WELDING
WITH UNDERLAYER WELDING STRIPE
(SEE PAGE 36)



pure Terra Sand
Ref. No. 2001265



pure Ocean Grey
Ref. No. 2001266

pure Urban Grey
Ref. No. 2001273

pure Mountain Blue
Ref. No. 2001328



pure Indian Marble
Ref. No. 2001344

pure Sand Stone
Ref. No. 2001347

Available in stock

ISLAND DREAMS
Your beach at home.

High-quality, reinforced swimming pool membranes with printed, embossed, and finished 3D surface

The feeling of having fine sandy beach under your feet and magical watercolors that can only be found in the Caribbean or in breath-taking reef landscapes - ISLAND DREAMS swimming pool membranes add an unique island feeling to any swimming pool.

Thanks to the non-slip approved 3D surface, they are perfect for pools with beach entry, stairs, and other anti-slip areas. The high-quality finish makes them especially resistant to chlorine, UV radiation and stains.

Thickness	2.0 mm
Width	1.60 m
Roll length	20 m
Package	6 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

NON-SLIP PROTECTION

UNIQUE DESIGNS

SPECIAL EMBOSSING SURFACE

UV RESISTANT

CHLORINE RESISTANT

STAIN RESISTANT

IDEAL FOR HEAD-TO-HEAD WELDING
WITH UNDERLAYER WELDING STRIPE
(SEE PAGE 36)

ISLAND Aruba [153]
Ref. No. 2001175



ISLAND Santorini [765]
Ref. No. 2001176



ISLAND Fiji [104]
Ref. No. 2001180

ISLAND Maui [809]
Ref. No. 2001174

Available in stock

EXTREME WATERLINE PROTECTION

EXTREME UV RESISTANT

EXTREME CHLORINE RESISTANT

EXTREME STAIN RESISTANT

ALGAE RESISTANT

EXTREMELY EASY TO CLEAN

EXTREMELY EASY TO WELD

elite smooth

Phthalate-free, unicolor, and reinforced swimming pool membranes with exclusive finished surface

Crystal-clear watercolors, perfect surfaces and maximum health protection transform any pool into a 5-star pool. The contribution of elite® reinforced pool membranes, extremely durable and resistant to aging, is proven day in day out, especially by their extreme resistance to UV radiation and the intensive use of sunscreens. Therefore, they are also ideal for public pools, leisure facilities, and hotel pools.

Thanks to their innovative surface formulation, they are easy to clean, prevent dirt deposits at the waterline and they are extra resistant to chlorine, UV radiation and microorganisms.

All colors are also available in a slip resistant version with a special rice grain groove. Alternatively, in addition to their anti-slip properties, non-slip tread protection membranes create interesting color contrasts on stairs, slopes, and entrance areas (see page 22).

Thickness	1.5 mm
Width	1.65 m | 2.00 m
Roll length	25 m | Non-Slip 10 m
Package	8 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

WARRANTY 5 YEARS CHLORINE RESISTANCE

WARRANTY 5 YEARS STAIN RESISTANCE

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

PHTHALAT

NON-SLIP PROTECTION

[elite® Non-Slip]

See our condition guidelines

elite® Deep Sea [603]
Ref. No. 2001068 – 1.65 m
Ref. No. 2001119 – 2.00 m

elite® Non-Slip [603]
Ref. No. 2001076 – 1.65 m

elite® Sand Beach [179]
Ref. No. 2001070 – 1.65 m
Ref. No. 2001120 – 2.00 m

elite® Non-Slip [179]
Ref. No. 2001078 – 1.65 m

elite® Blue Sky [602]
Ref. No. 2001069 – 1.65 m
Ref. No. 2001118 – 2.00 m

elite® Non-Slip [602]
Ref. No. 2001077 – 1.65 m

elite® Arctic White [180]
Ref. No. 2001071 – 1.65 m
Ref. No. 2001117 – 2.00 m

elite® Non-Slip [180]
Ref. No. 2001079 – 1.65 m

elite® Grey Rock [798]
Ref. No. 2001073 – 1.65 m
Ref. No. 2001121 – 2.00 m

elite® Non-Slip [798]
Ref. No. 2001080 – 1.65 m

elite® Black Stone [799]
Ref. No. 2001122 – 1.65 m
Ref. No. 2001123 – 2.00 m

elite® Non-Slip [799]
Ref. No. 2001124 – 1.65 m

Available in stock

elite motion

NEW

Reinforced swimming pool membranes with specially refined, unicolor 3D surface

With elite® motion, the world's most popular pool membranes from the ELBE Pool Surface® portfolio have received a stylish update. They combine the outstanding, functional surface features of the elite® product family with an exclusive 3D embossing.

The softly textured 3D surface of this pool membrane ensures a relaxed swimming experience. In addition, elite® motion meets the highest non-slip requirement, which means that the entire pool can be lined with the pleasantly gentle elite® motion pool membranes in a non-slip manner.

More pool feeling, impossible to find!

Thickness	1.8 mm
Width	1.65 m
Roll length	21 m
Package	6 Rolls per pallet

- 3D SURFACE
- EXTREME WATERLINE PROTECTION
- EXTREME UV RESISTANT
- EXTREME CHLORINE RESISTANT
- EXTREME STAIN RESISTANT
- ALGAE RESISTANT
- EXTREMELY EASY TO WELD

WARRANTY 15 YEARS WATERTIGHTNESS

WARRANTY 5 YEARS CHLORINE RESISTANCE

WARRANTY 5 YEARS STAIN RESISTANCE

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

NON-SLIP PROTECTION

See our condition guidelines

elite® motion Deep Sea [603]
Ref. No. 2001368

elite® motion Sand Beach [179]
Ref. No. 2001366

elite® motion Blue Sky [602]
Ref. No. 2001367

elite® motion Arctic White [180]
Ref. No. 2001365

elite® motion Grey Rock [798]
Ref. No. 2001369

elite® motion Black Stone [799]
Ref. No. 2001370

Available in stock

Pool Reflections
PEARL

Reinforced swimming pool membranes with refined, light-reflecting surface

For true pool fans, there is hardly anything more beautiful than the sight of glistening water in their refreshing refuge. The specially refined, reflective surfaces of PEARL pool membranes enhance this effect and conjure up a unique atmosphere.

But PEARL also leaves nothing to be desired in terms of functionality. Thanks to the high-quality surface finish, all color variants are UV, chlorine, and stain resistant as well as easy to clean.

Thickness	1.6 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION



PEARL Black [920/21]
Ref. No. 2000776



PEARL Blue [920/22]
Ref. No. 2000777

PEARL White [920/23]
Ref. No. 2000787

PEARL Sand [920/24]
Ref. No. 2000984



PEARL Silver Lagoon [1123/03]
Ref. No. 2000939

PEARL Silver Black [1123/05]
Ref. No. 2001007

Available in stock

SUPRA PRINT

Premium Line

Reinforced swimming pool membranes with refined surface

The selection of printed decors and the excellent surface features make SUPRA Print the perfect pool membrane for leisure pools, pool landscapes and private pools with high demands on appearance and functionality.

The reinforced pool membranes are antimicrobial and, thanks to the refined surface, resistant to stains, UV radiation and chlorine over the long term.

Thickness	1.5 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet

SPECIAL COATED SURFACE

UV RESISTANT

CHLORINE RESISTANT

STAIN RESISTANT

EASY TO CLEAN

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION



SUPRA Blue Mosaic [1123/01]
Ref. No. 2001177



SUPRA Grey Mosaic [1123/04]
Ref. No. 2001190

SUPRA Blue Marble [920/20]
Ref. No. 2001191



SUPRA Azur Mosaic [2062/1]
Ref. No. 2001195

Available in stock

SUPRA

Premium Line

Reinforced swimming pool membranes with refined surface

SPECIAL COATED SURFACE

UV RESISTANT

CHLORINE RESISTANT

STAIN RESISTANT

EASY TO CLEAN

With good reason, SUPRA swimming pool membranes are an integral part of the product range. The comprehensive color palette of unicolored decors allows a great deal of leeway in designing the pool landscape, and the classic colors blend in perfectly with the desired ambience.

Of course, the unicolored swimming pool membranes are also characterized by their chlorine and UV stability. The high-quality surface finish also ensures easy cleaning and additional protection against stains and discoloration.

Thickness	1.5 mm
Width	1.65 m | 2.00 m
Roll length	25 m
Package	8 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

SUPRA Dove Blue [632]
Ref. No. 2001338 – 1.65 m

SUPRA Night Blue [633]
Ref. No. 2001340 – 1.65 m

SUPRA Sand [153]
Ref. No. 2000051 – 1.65 m | 2000054 – 2.00 m

SUPRA Light Blue [687]
Ref. No. 2000052 – 1.65 m | 2000053 – 2.00 m

SUPRA Adriatic Blue [604]
Ref. No. 2000410 – 1.65 m | 2000409 – 2.00 m

SUPRA Light Grey [765]
Ref. No. 2000961 – 1.65 m | 2001074 – 2.00 m

SUPRA Dark Grey [782]
Ref. No. 2000786 – 1.65 m | 2000910 – 2.00 m

SUPRA White [104]
Ref. No. 2000049 – 1.65 m | 2000048 – 2.00 m

Available in stock

CLASSIC
Standard Line

UV RESISTANT

CHLORINE RESISTANT

EASY TO CLEAN

Reinforced swimming pool membranes

The unicolored CLASSIC swimming pool membranes have all the features for a high-quality and hard-wearing pool liner.

As an all-rounder, the reinforced and tear-resistant swimming pool membranes are used worldwide not only in all types of indoor and outdoor pools, regardless of size and shape, but also in exclusive private pools.

CLASSIC pool membranes are UV and chlorine resistant, and resistant to cold and weathering as well, thanks to their antimicrobial properties, do not give fungi and bacteria a chance.

Thickness	1.5 mm
Width	1.65 m | 2.00 m
Roll length	25 m
Package	8 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

Classic Adriatic Blue [604]
Ref. No. 2000061 – 1.65 m | 2000063 – 2.00 m

Classic Turquoise [500]
Ref. No. 2000057 – 1.65 m | 2000058 – 2.00 m

Available in stock

Classic Sand [153]
Ref. No. 2000405 – 1.65 m | 2000406 – 2.00 m

Classic Light Blue [687]
Ref. No. 2000403 – 1.65 m | 2000404 – 2.00 m

Classic Light Grey [765]
Ref. No. 2000073 – 1.65 m | 2000072 – 2.00 m

Classic Dark Grey [782]
Ref. No. 2000529 – 1.65 m | 2000528 – 2.00 m

Classic Black [809]
Ref. No. 2000579 – 1.65 m

Classic White [104]
Ref. No. 2000045 – 1.65 m | 2000047 – 2.00 m

Available in stock

SPECIAL EMBOSSING SURFACE STRUCTURE

UV RESISTANT

CHLORINE RESISTANT

NON-SLIP

Reinforced anti-slip tread protection membranes

These membranes were specially developed and offer high safety especially in wet areas, for bare feet, for both in outdoor and indoor pools.

Whether on steps, stairs, walk-throughs or children's paddling pools, the ribbed embossing of the surface ensures a safe and pleasant feeling both underfoot and when sitting down.

Another advantage: The membranes are excellent for welding.

Thickness	1.9 mm
Width	1.65 m
Roll length	10 m
Package	15 Rolls per pallet

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

NON-SLIP PROTECTION

Non-Slip Dove Blue [632]
Ref. No. 2001339

Non-Slip Night Blue [633]
Ref. No. 2001342

Non-Slip Adriatic Blue [604]
Ref. No. 2000772



Non-Slip Light Grey [765]
Ref. No. 2000767

Non-Slip Turquoise [500]
Ref. No. 2000769

Non-Slip White [104]
Ref. No. 2000765

Non-Slip Dark Grey [782]
Ref. No. 2000771

Non-Slip Sand [153]
Ref. No. 2000766

Non-Slip Black [809]
Ref. No. 2000770

Non-Slip Light Blue [687]
Ref. No. 2000768

Available in stock



General information about maintenance and care for Natural Pool and Swimming Pond Membranes

- The membranes of natural pools and swimming pools of the ELBE Natural Surface® range are suitable for natural water treatment (by filtration for example)
- Regular maintenance preserves water quality (e.g., by sucking leaves and pollen)
- Before entering the pool, it is recommended to remove makeup and take a shower to get rid of any sunscreen (preservation of the biological balance of the water)
- Easy and environmentally friendly cleaning without chlorine-based products
- Cleaning with soft cloths or sponges (do not use hard brushes or pressure washers!)
- Easy winter maintenance (e.g. with the installation of a net tarpaulin to retain the leaves)

ELBE NATURAL SURFACE®
NATURAL POOL AND SWIMMING POND MEMBRANES

LIVING
WITH & IN NATURE

ELBE®

NATURAL SURFACE | MADE IN GERMANY

NATURAL PEARL

Reinforced swimming pond membranes with refined, light-reflecting surface

Mysterious colors and glittering water surfaces: The UV-resistant and durable Natural PEARL swimming pond membranes enchant with a special atmosphere.

Their printed surfaces provide extraordinary light reflections and give the pool a vibrant, natural character. Thanks to their high-quality formula, pools with Natural PEARL linings are harmless to the health of humans and animals and are also child's play to clean. Easy installation and minimal fume emission during welding perfectly round off the features of these reinforced swimming pond membranes.

Thickness	1.6 mm
Width	1.65 m
Roll length	25 m
Package	8 Rolls per pallet

UNIQUE REFLECTION EFFECT

UV STABILIZED

BIOCIDE-FREE

EASY TO CLEAN

EASY TO WELD

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

LESS BIOFILM

Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.



NATURAL PEARL Dark Green [578]
Ref. No. 2001141



NATURAL PEARL Slate Grey [702]
Ref. No. 2001140

Available in stock

NATURAL SUPRA

Reinforced swimming pond membranes with refined surface

Natural SUPRA pool liners conjure up a special flair in any bio pool. Thanks to the natural color palette, the watercolors range from classic blue to turquoise and jade to mysterious, dark green tones, depending on the light intensity.

Like all reinforced swimming pond liners in the ELBE Natural Surface® portfolio, Natural SUPRA pond membranes are extremely durable and tear-resistant as well as resistant to cold.

Thanks to their formula, they are harmless to the health of all living creatures. A protective coating on the surfaces prevents biofilm buildup and keeps them from unsightly staining and discoloration. In addition, thanks to its exceptional properties, cleaning is much easier and saves time.

Thickness	1.5 mm
Width	2.00 m
Roll length	25 m
Package	8 Rolls per pallet

SPECIAL COATED SURFACE

UV STABILIZED

BIOCIDE-FREE

EASY TO CLEAN

EASY TO WELD

WARRANTY 15 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

LESS BIOFILM

Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.

NATURAL SUPRA Dark Green [578]
Ref. No. 2001139

NATURAL SUPRA Slate Grey [702]
Ref. No. 2001137

NATURAL SUPRA Light Grey [765]
Ref. No. 2001264

NATURAL SUPRA Sand [153]
Ref. No. 2001209

Available in stock

NATURAL CLASSIC

Reinforced swimming pond membranes

Like all ELBE swimming pond membranes, Natural CLASSIC products support a pool environment that is harmless to humans, animals, and plants alike. These membranes are made from the purest raw materials and do not contain biocides.

The highly durable, 100% waterproof and UV-resistant Natural CLASSIC waterproofing membranes are suitable for lining bio pools, swimming ponds, garden ponds, artificial lakes, fish tank liners and artificial watercourses. Another plus point: these membranes have the lowest fume emission in welding.

Thickness	**1.5 mm**
Width	**2.00 m**
Roll length	**25 m**
Package	**12 Rolls per pallet**

WARRANTY 10 YEARS WATERTIGHTNESS

KIDS FRIENDLY EN 71-3

LOWEST FUME EMISSION

NATURAL CLASSIC Green/Black [546/801]
Ref. No. 2000366

Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.

Available in stock

Product characteristics

PRODUCT FEATURES	elite smooth	elite motion	PEARL	ISLAND DREAMS	pure Pool Passion	SUPRA	SUPRA PRINT	NON-SLIP	CLASSIC
TECHNICHAL FEATURES									
Approved for public pools (KSW)	✓		✓	✓		✓	✓	✓	✓
Manufactured according to European standard for swimming pools	✓		✓	✓	✓	✓	✓	✓	✓
UV resistance	++++		+++	+++	+++	+++	+++	++	++
Chlorine resistance	++++		++	++	++	++	++	+	+
Scratch resistance	+++		++	++	++	++	+++	+	+
Non-Slip	✓	✓		✓	✓			✓	
HEALTH AND ENVIRONMENT									
EN 71-3 – kidsfriendly	✓		✓	✓	✓	✓	✓	✓	✓
Phthalate free baby and kidsfriendly	✓								
Lowest fume emission during welding	✓		✓	✓	✓	✓	✓	✓	✓
SURFACE AND CLEANING									
Easy to clean	++++		++	++	++	++	++	+	+
Stain resistant	++++		++	++	++	++	++	+	+
Printed designs			✓	✓	✓		✓		
3D structure surface		✓		✓	✓			✓	
WARRANTIES									
Recommended maximum water temperature	35 °C	33 °C	33 °C	33 °C	33 °C	33 °C	33 °C	32 °C	32 °C
Warranty watertightness	15 years								
Warranty stain resistance	5 years								
Warranty chlorine resistance	5 years								

Please refer to the technical data sheets for detailed information on specific Item.

Product characteristics

PRODUCT FEATURES	NATURAL PEARL	NATURAL SUPRA	NATURAL CLASSIC
APPLICATIONS			
Swimming ponds, natural ponds	✓	✓	✓
(Artifical) ponds and lakes	✓	✓	✓
Irrigation basins, fire protection ponds, rainwater retention reservoirs			✓
TECHNICAL FEATURES			
Reinforced (high strength and dimensional stability)	✓	✓	✓
Coated surface	✓	✓	
UV stability	✓	✓	✓
Cold and weather resistance	✓	✓	✓
HEALTH AND ENVIRONMENT			
EN 71-3 – kidsfriendly	✓	✓	✓
Non-toxic for fish and plants	✓	✓	✓
Lowest fume emission during welding	✓	✓	✓
SURFACE AND CLEANING			
Easy to clean	++	++	+
Stain resistant	++	++	+
Less biofilm	✓	✓	
Printed designs	✓		
WARRANTIES			
Warranty watertightness	15 years	15 years	10 years

Please note: Our membranes for natural pools and swimming ponds are exclusively for the waterproofing of pools in which no chemical disinfectants based on chlorine or similar products are used.

Accessories

For professional installation of our swimming pool, natural pool and swimming pond membranes

Our **ELBE Pool Surface®** membranes are suitable for indoor and outdoor pool coverings, regardless of the shape or size of the pool. This applies to new constructions, to the renovation of existing pools made of different concrete, masonry, wood, steel, aluminum, polyester supports as well as for earthen pools fixed on slopes up to 60 °.

Our **ELBE Natural Surface®** membranes are ideal for waterproofing natural pools, swimming ponds and natural pools, easy and quick to install on any surface and support. Note, however, the importance of the right accessory during the installation, guaranteeing a perfect result.

ELBE liquid PVC

(Delivery only in full package units)
Content 950 ml per can
Package 6 cans per box

We recommend the application of **ELBE liquid PVC** to ensure sealing and take care of the aesthetic appearance of the weld seam. However, this product does not replace the hot air welding quality of reinforced membranes. It also drastically reduces dirt deposits at the weld seam. It should be noted that all **ELBE liquid PVCs**, with the exception of green, dark green and slate grey, contain biocides and can therefore only be limited in their use in natural swimming pools. The viscosity can be improved with the addition of acetone.

Our liquid PVCs match the colors of our membranes and are recommended as follows:

Suitable for: CLASSIC, SUPRA, ISLAND DREAMS, PEARL, pure

Color	Sand [153]	Light Blue [687]	Adriatic Blue [604]	Dove Blue [632]	Night Blue [633]	Navy Blue [620]
NEW Ref. No.	**2000858**	**2000864**	**2000862**	**2001345**	**2001346**	**2000863**
PREV. Ref. No.	2100056	2100053	2100048			2100246

Color	Turquoise [500]	Lagoon [623]
NEW Ref. No.	**2000859**	**2000957**
PREV. Ref. No.	2100049	2100274

Color	Light Grey [765]	Dark Grey [782]	Black [809]	White [104]	Transparent [027]
NEW Ref. No.	**2000865**	**2000866**	**2000867**	**2000857**	**2000856**
PREV. Ref. No.	2100046	2100154	2100190	2100054	2100055

Suitable for: elite®

Color	Arctic White [180]	Sand Beach [179]	Blue Sky [602]	Deep Sea [603]	Grey Rock [798]	Black Stone [799]
NEW Ref. No.	**2001090**	**2001091**	**2001089**	**2001088**	**2001092**	**2001132**
PREV. Ref. No.	2100393	2100394	2100395	2100396	2100403	2100536

Suitable for: NATURAL PEARL, NATURAL SUPRA, NATURAL CLASSIC

Color	Slate Grey [702]	Dark Green [578]	Green [546]
NEW Ref. No.	**2001143**	**2001142**	**2000860**
PREV. Ref. No.	2100537	2100538	2100215

Coated metal sheets and profiles

Thickness 1.2 mm



	Sheet	Sheet stainless steel V2A	Exterior angle	Interior angle	Strip
Color	Blue	Blue	Blue	Blue	Blue
Dimensions	1000 × 2000 mm	1000 × 2000 mm	50 × 50 × 2000 mm	50 × 50 × 2000 mm	50 × 2000 mm
Package	1 Pallet = 30 Pcs	1 Pallet = 30 Pcs	10 Pcs	10 Pcs	10 Pcs
Ref. No.	2001313	2100346	2001310	2001311	2001312

Bottle for liquid PVC

Content 500 ml
Package for 1 Pc
Ref. No. 2100085

Fleece adhesive

Content 5 kg
Package 1 Unit
Ref. No. 2100397

Protective fleece

Polyester fleece 300 g/m², 1.5 m × 50 m
DIN 4102 B2, drillable, White
Thickness 2 mm
Package 6 Rolls per pallet
Ref. No. 2100358

Polyester fleece 300 g/m², 2 m × 50 m
DIN 4102 B2, drillable, White
Thickness 2 mm
Package 6 Rolls per pallet
Ref. No. 2100061

Antibacterial Polyester fleece 300 g/m², 1.5 m × 50 m
drill- & screw-resistant, light green
Thickness 2 mm
Package 6 Rolls per pallet
Ref. No. 2001349

Antibacterial Polyester fleece 300 g/m², 2 m × 50 m
drill- & screw-resistant, light green
Thickness 2 mm
Package 6 Rolls per pallet
Ref. No. 2001348

Mounting and fixing parts

Fastener rivets short

Dimensions	4.8 mm × 20.3 mm
Package	12 / 48 Packs per box
Content	per 200 Pcs
Ref. No.	2100275

Fastener rivets long

Dimensions	4.8 mm × 35 mm
Package	12 Packs per box
Content	per 100 Pcs
Ref. No.	2100382

Rigid plastic profile* White, vertical

Length	2 m
Package	from 1 Pc
Ref. No.	2100286

Rigid plastic profile* White, horizontal

Length	2 m
Package	from 1 Pc
Ref. No.	2100387

Liner locking stripe* White

Length	30 m
Package	10 Rolls per box
Ref. No.	2100285

Welding stripe

Dimensions	9 mm × 25 m
Thickness	1.5 mm
Package	10 Rolls per box
Ref. No.	2001317



Underlayer welding stripe

Dimensions	15 cm × 25 m
Thickness	1.5 mm
Package	from 1 Roll
Ref. No.	2001318

Marking lines Black

Dimensions	25 m × 25 cm
Thickness	1.5 mm
Package	from 1 Roll
Ref. No.	2001319

ELBE Themo Glue

Content	4.5 kg
Package	from 1 pack
Ref. No.	2001329

Cold welding agent THF

Content	1000 ml
Package	6 Pcs per pack
Ref. No.	2100039

* Available on request

A CONCENTRATE OF EFFICIENCY
THE ESSENTIALS OF THE INSTALLATION FOR PROFESSIONALS GATHERED IN A SINGLE SESSION

Training Center

Premium quality requires premium installation

Going pro means learning from the pros! We offer ad hoc training sessions at our state-of-the-art training center in Coswig, Germany. Here, you or your customers will receive from our experts all the essential skills and knowledge for a professional installation of our reinforced membranes. On this occasion, you will also have the chance to visit the factory and learn more about the manufacture of our membranes. In order to optimize the quality of our premium teaching and guarantee sustainable competence, the number of participants is limited to 8 people per course. At the end of your training session, your participation and success will be validated by the delivery of an official ELBE certified installer certificate.



CERTIFIED INSTALLER
REINFORCED MEMBRANES
ELBE®
POOL SURFACE | MADE IN GERMANY

More information and dates on:
www.ELBEpools.com

Please send your registration to:
trainings@elbtal-plastics.de

If you have questions, call us:
+49 3523 5330-0

The following materials are to be brought along:

Own work clothes, safety shoes, knee pads, possibly safety gloves

ELBE Pool Surface® training course
General information:

Course duration: 4 days
Monday until Thursday
8.00 am until ca. 5.30 pm

Max. number of participants: 8 Persons per course
Language: German, English

Location
Elbtal Plastics GmbH & Co. KG
Grenzstr. 9 | 01640 Coswig | Germany

Marketing-communication support & samples

Do you have questions that we haven't answered yet? We will be happy to provide you with further information.
You will find your **ELBE Pool Surface®** partner and customer service at the following address: www.ELBEpools.com/contact/

Note: Details of available languages in our brochures refer to **digital versions**.
Would you like to know in which languages the printed brochures are available? Do not hesitate to contact us.

Catalogues and Brochures

POOL SURFACE | MADE IN GERMANY



Product Catalogue #2200008

General presentation of the **ELBE Pool Surface®** and **ELBE Natural Surface®** products, with brief description of colors, article codes and package.

Format: DIN A4
Language: DE|EN|FR|ES|IT|PL|RU

Consumer Brochure #2200037

Complete presentation of the **ELBE Pool Surface®** range for private pools, with illustrative visuals.
Available only in digital version.

Format: DIN A5
Language: DE|EN|FR|ES|PL|RU

Commercial Brochure #2200038

Complete presentation of the **ELBE Pool Surface®** range for public pools and communities, illustrated with atmospheric photos.
Available only in digital version.

Format: DIN A5
Language: DE|EN

Technical Brochures

POOL SURFACE | MADE IN GERMANY

Installation Manual #2200021

Step-by-step explanations of the installation of **ELBE Pool Surface®** reinforced membranes.
Text and illustrative photos.

Format: DIN A4
Language: DE|EN|ES

Maintenance Guide #2200023

Details and instructions for maintaining **ELBE Pool Surface®** reinforced membranes.
Text and illustrative photos.

Format: DIN A6
Languages: DE|EN|FR|ES|IT|PL|RU

Samples Brochures

POOL SURFACE | MADE IN GERMANY

elite® #2200014

Complete presentation of elite®, detailed arguments concerning the many advantages and guarantee of this product. With photos and color samples.

Format: DIN A4
Language: DE & EN

ISLAND DREAMS #2200015

Complete presentation of the ISLAND DREAMS range, with photos and color samples.

Format: DIN A4
Language: no text

Pool membranes collections ELBE Pool Surface®

Dimensions: 9.5 x 15 cm
Language: EN

Classic #2200011

PEARL #2200016

Complete presentation of the PEARL range, with photos and color samples.

Format: DIN A4
Language: no text

pure #2200019

Illustrated with color samples.

Format: DIN A4
Language: EN

SUPRA #2200012

Catalogues and Brochures

NATURAL SURFACE | MADE IN GERMANY

Product Catalogue #2200010

Contains the complete range of **ELBE Natural Surface®**, as well as general product information, article numbers and miscellaneous information.

Format: DIN A4
Language: DE|EN|FR|PL

Brochure #2200020

Illustrated with samples and photos from the Natural PEARL and Natural SUPRA range of natural pools and swimming pools.

Format: DIN A4
Language: DE|EN|FR

Natural pool and swimming pond membranes collection

Dimensions: 9.5 x 15 cm
Language: EN

ELBE Natural Surface® #2200013



ELBTAL PLASTICS

Elbtal Plastics GmbH & Co. KG
Grenzstr. 9
01640 Coswig | Germany

+49 3523 5330-0
info@elbtal-plastics.de

www.elbtal-plastics.de
www.ELBEpools.com

A member of kap flexible films

rev. EN 04.24